

#### **Section 1 - Product Name**

Product Name: Strontium Ferrite-Rubber Composite

## **Section 2 - Hazardous Ingredients**

Chemical Name: SrFe12019 & Polymer

#### Material/Component(s):

Material or Component	Weight %	CAS No.	ACGUH TLV (mg/m^3)
Lead oxide (Pb0)	<4	1317-36-8	30 ug/m3

### **Section 3 - Physical Characteristics**

Vapor Pressure: No Vapors

Vapor Density: N/A Specific Gravity: 3.6

Melting Point: Does not melt Evaporation Rate: N/A

Odor: No odor

Solubility in Water: Insoluble

# **Section 4 - Fire and Explosion Hazard Data**

Flash Point: N/A

FLAMMABLE LIMITS: N/A

LEL: N/A UEL: N/A

**Extinguishing Media:** Water Spray

**Special Fire Fighting Procedures:** Not necessary **Unusual Fire and Explosion Hazards(s):** N/A

## **Section 5 - Reactivity Data**

Stability: Stable

Conditions to Avoid: N/A

**Incompatibility (Materials to Avoid):** None known **Hazardous Polymerization:** Will not polymerize

Address: 3100 Cascade Drive, Valparaiso, IN 46383 USA, Telephone: (219) 465-1998, Fax: (219) 462-5146



**Hazardous Decomposition or Byproducts :** May give off some strontium, lead or ferric chloride fumes if heated above 570 degrees.

### **Section 6 - Health Hazard Data**

Route(s) of Entry: Skin / Eyes

Health Hazards (Acute & Chronic): N/A

Carcinogenicity: N/A

Signs and Symptoms of Exposure: N/A

Medical Conditions Generally Aggravated by Exposure: N/A

#### **Emergency and First Aid Procedures:**

Procedure For	Procedure	
Skin	Wash hands with soap and water.	
Eyes	Flush eyes with copious amounts of water.	

# Section 7 - Precautions for Safe Handling and Use

**Spill Procedure:** Material may be magnetized.

Waste Disposal Method: Usual solids disposal per Federal, State, & Local codes.

Precautions to be taken in Handling and Storing: N/A

### **Section 8 - Control Measures**

**Respiratory Protection:** Not known to be necessary.

Eye Protection: N/A Skin Protection: N/A Ventilation: Mechanical

Work / Hygienic Practices: N/A

Address: 3100 Cascade Drive, Valparaiso, IN 46383 USA, Telephone: (219) 465-1998, Fax: (219) 462-5146