

### **Section 1 - Product Name**

Product Name: Bonded Injection Molded Samarium Cobalt Magnet

## **Section 2 - Hazardous Ingredients**

Chemical Name: Bonded Injection Molded Samarium Cobalt Magnet

#### Material/Component(s):

Material or	Weight %	CAS No.	ACGUH TLV (mg/m^3)	Notes
Component				

### **Section 3 - Physical Characteristics**

Vapor Pressure: N/A Vapor Density: N/A Specific Gravity: 6.6 Melting Point: 215-225° C Evaporation Rate: N/A

Odor: N/A

Solubility in Water: Insoluble

# **Section 4 - Fire and Explosion Hazard Data**

Flash Point: N/A

FLAMMABLE LIMITS: N/A

LEL: N/A UEL: N/A

**Extinguishing Media:** Dry sand or special powder extinguisher

**Special Fire Fighting Procedures:** Use a special powder extinguisher, or pour dry sand on the fire to

cut off the oxygen supply. Water should be avaoided at all costs.

Unusual Fire and Explosion Hazards(s): Flammable

# **Section 5 - Reactivity Data**

**Stability:** Stable

Conditions to Avoid: No known incompatibilities Incompatibility (Materials to Avoid): N/A



Hazardous Polymerization: Will not occur Hazardous Decomposition or Byproducts: N/A

### Section 6 - Health Hazard Data

**Health Hazards (Acute & Chronic):** Allergic skin irritations can occur on contact . Harmful if inhaled -- Irritation of mucous membranes and epithelium of the respiratory organs. Dermal immune response may occur as result of repeated or long term exposure.

#### **Emergency and First Aid Procedures:**

Procedure For	Procedure
---------------	-----------

## **Section 7 - Precautions for Safe Handling and Use**

**Spill Procedure:** Not a hazard as a solid compact magnet. Use protective gear. Place spillage into metal can and store in preparation for disposal.

**Waste Disposal Method:** Observe all federal, state, and local regulations when disposing this material.

#### **Section 8 - Control Measures**

Respiratory Protection: N/A
Eye Protection: Safety goggles
Skin Protection: Protective Gloves
Ventilation: Mechanical (General)
Work / Hygienic Practices: N/A

Address: 3100 Cascade Drive, Valparaiso, IN 46383 USA, Telephone: (219) 465-1998, Fax: (219) 462-5146